
200500249

No.



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

IC Robinson Seeds, Inc.

THE PROPERTY OF THE PROPERTY OF THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT. THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW, IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANTISS INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANTISS IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS EIERS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY MARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR MEANTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE OVERPURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT DED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'N69391'

In Certimonn Thereof, I have hereunto set my hand and caused the seal of the Flunt Inviety Frotestion Office to be affixed at the City of Washington, D.C. this sixteenth day of July, in the year two thousand and eight.

Attesti

Qe-zu

Commissioner Plant Variety Protection Office Agricultural Marketing Service Colmand V. Schafe

Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE D TECHNOLOGY DIVISION - PLANT VARIETY PROTECT

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions and information collection burden statement on reverse)

The following statements are made in accordance with the Privacy Act of 1974 (5 U. S. C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U. S. C. 2426).

1. NAME OF OWNER JC Robinson Seeds, Inc.				2. TEMPORARY DE. EXPERIMENTAL NAI		3. VARIETY NAME N69391	
4. ADDRESS (Street and No., R.F.D. No.,	(include area code) -9692	FOR OFFICIAL USE ONLY PVPO NUMBER
							2005002
PO Box 307					6. FAX (include area code)	FILING DATE
Waterloo, Nebraska 68069	•				(402) 779	-2910	May 5,2005
7, IF THE OWNER NAMED IS NOT A "PERSON"		RGANIZAITON		DRATED, GIVE CORPORATION	9. DATE OF INCORP	ORATION	FILING AND EXAMINATION FEE
(corporation, partnership, association, etc.) (Comr	non name)						E \$ 3652,00
Corporation			Nebras		8/01/1964	-	و د ا ا
10. NAME AND ADDRESS OF REPRESENTATIV	E(S), IF ANY, TO SE	ERVE IN THIS /	APPLICATION.	(First person listed	will receive all papers)		R DATE 5/5/05
Eric J. Jarecki							E CERTIFICATION FEE:
Research Information Cod	ordinator						E
PO Box 307	•						\$ 768.00
Waterloo, Nebraska 6806	69						E DATE 3/28/08
11. TELEPHONE (include area code)	12. FAX (include	e area code)		13. EMAIL		14. CROP KI	
(402) 289-6503	(402)	779-2910	"		(I@GHSEEDS.CO	Cor	·
15. GENUS AND SPECIES NAME	16.	FAMILY NAME	(Botanical)		17. IS THE VARIETY A F	FIRST GENERATION	HYBRID?
Zea Mays L.		Graminea	e		YES	XN	0
18. CHECK APPROPRIATE BOX FOR EACH ATT	ACHMENT SUBMIT		-	19. DOES TH	E OWNER SPECIFY TH	AT SEED OF THIS \	/ARIETY BE SOLD AS A CLASS OF
(Follow instructions on reverse)				CERTIFIE	D SEED? (See :	Section 83(a) of the F	Plant Variety Protection Act)
a. X Exhibit A. Origin and Breeding History of the	Variety			YES	(If "yes", snswer items 2	0 and 21 bleow)	X NO (If "no", go to item 2
b. X Exhibit B. Statement of Distinctness c. X Exhibit C. Objective Description of the Variety			·	20. DOES TH	E OWNER SPECIFY TH	AT SEED OF	YES NO
d. X Exhibit D. Additional Description of the Variet				THIS VAR	IETY BE LIMITED AS TO	NUMBER OF CLAS	SSES
e. X Exhibit E. Statement of the Basis of the Appli	cant's Ownership			IF YES, W	HICH CLASSES?	FOUNDATION	REGISTERED CERTIFIE
f. X Voucher Sample: (2,500 viable untreated seed that tissue culture will be deposited and maintain			tion	21. DOES TH	E OWNER SPECIFY TH	AT SEED OF THIS	YES NO
g. X Filing and Examination Fee (\$3,652), made pa		e United		VAIRETY BE LIMITED AS TO NUMBER OF GENERATIONS IF YES, SPECIFY THE FOUNDATION REGISTERED CERTIFIE			
States" (Mail to Plant Variety Protection Office,	}			İ	NUMBER 1, 2, 3, etc.		
					(If additional explanation is necessary, please use the space indicated on the reverse)		
22, HAS THE VARIETY (INCLUDING AND HARVE	STED MATERIAL) C	R A HYBRID F	RODUCED				RIETY PROTECTED BY INTELLECTUA
FROM THIS VARIETY BEEN SOLD, DISPOSED	OF, TRANSFERRE	ED, OR USED I	N THE U.S. OR	PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)?			
OTHER COUNTRIES?	YES	X	NO		YES		X NO
IF YES, YOU MUST PROVIDE THE DATE OF	FIRST SALE, DISP	OSITION, TRA	NSFER,OR USE	SE IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED			
FOR EACH COUNTRY AND THE CIRCUNST	ANCES. (Please u	se space indica	ted on reverse.)	REFEREN	CE NUMBER. (Ple	ase use space indica	eted on reverse
24. The applicant(s) declare that a viable sample of applicable, or for a tuber propagated variety a tis							such regulations as may be
The undersigned applicant(s) is(are) the owner(s Section 42, and is entitled to protection under the					lieve(s) that the variety is	s new, distinct, unifor	m, and stable as required in
Applicant(s) is(are) informed that false represent	ation herein can jeo	pardize protect		-	(0,		
SIGNATURE OF APPLICANT (Owner(s))	,			SIGNATURE OF AF	PPLICANT (Owner(s)		
2 ii 1///	· andi						
NAME (Please print Mype)			1	IAME	(Please print or type)		
Eric J. Jarecki							
CAPACITY OR TITLE		DATE	. 0	CAPACITY OR TITL	E		DATE
Research Information Coor	dinator	5-2	-05				

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant an unfilled. Mail application and other requirements to Plant Variety Protection fice, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the plantation are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that name has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

ITEM

- 19a, Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness,
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
 - . If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circimstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 24. CONTINUED FROM FRONT (Please give the country, date or filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information.

2 U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, olitical beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Aveue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD), USDA is an equal opportunity provider and employer.

Origin and Breeding History of N69391

Exhibit A:

N69391 is a corn inbred line developed from the three way cross of GSC1.LH198/FR1064 using the pedigree method of breeding. Selfing and selection were conducted seven generations in its development. The selection criteria used in the development of N69391 included: grain yield, high plant density tolerance, good stand establishment, silking and pollen shedding ability, stalk and root strength, stay green appearance during senescence, seed quality, and disease tolerance. Testcrosses with unrelated inbreds were made and evaluated over multiple years and locations in the promotion of N69391 to commercial status in hybrid combination.

GSC1, a progenitor of N69391, is a proprietary field corn inbred line developed by The Goldens Seed Co. LH198, a progenitor of N69391, is a proprietary field inbred line developed by Holden's Foundation Seeds, Inc. Holden's was granted plant utility patent number 5304717 for LH198. FR1064, a progenitor of N69391, is a commercial field corn inbred line developed by Illinois Foundation Seeds, Inc.

N69391 has shown uniformity and stability for all traits as described in Exhibit C – "Objective Description of Variety". It has been self pollinated and ear-rowed for seven generations, with careful attention given to uniformity of plant type to ensure homozygosity and phenotypic purity. During the advanced stages of development, hand-pollinated increases of N69391 were observed by the developing breeder to assure stability and uniformity of the inbred line for at least three generations as an inbred as well as in hybrid combinations. No variant traits have been observed or are expected in N69391.

Development history of N69391:

	Inbreeding	
Location/ Season / Year North Platte, NE / Summer /	Level	Pedigree / Ear ID
1997	3WAY	GSC1.LH198/FR1064
North Platte, NE / Summer / 1998	S1	GSC1.LH198/FR1064)-39
North Platte, NE / Summer /		9301.Em 96/1004)-39
1999	S 2	GSC1.LH198/FR1064)-39-1
North Platte, NE / Summer /	•	000444400[504004]
2000	S3	GSC1.LH198/FR1064)-39-1-1
Molokai, Hl / Winter / 2000	S4	GSC1.LH198/FR1064)-39-1-1-1
North Platte, NE / Summer /		•
2001	S5	GSC1.LH198/FR1064)-39-1-1-1-2
Molokai, HI / Winter / 2001	S6	GSC1.LH198/FR1064)-39-1-1-1-2-5

Exhibit B.

N69391 most closely resembles GSC1

The following color traits are uniquely different from the check:

N69391

GSC1

Trait	Number Value	Color	Munsell Code	Number Value	Color	Munsell Code
Silk Color	5	Green-Yellow	2.5GY8/8	17	Purple	5RP4/6
Cob Color	19	White	10YR9.25/1.0	14	Red	5R5/10

The following traits were observed to be different between the inbred and the standard check:

N69391

GSC1

Trait	Number Value	Description	Number Value	Description
Leaf Sheath Pubescence	. 1	1=none to 9=like peach fuzz	7	1=none to 9=like peach fuzz

The following traits are highly significant at the 1% level (Student's t-Test procedure) for each location analysis as well as the combined location analysis:

Exhibit B. t-test statistics, (Most closely resembles).

	, , ,			,-						
		ľ	V69391			GSC1		Mean		
Trait	Loc	N	Mean	SD1	N	Mean	SD2	Diff	t-Value	Prob
Plant Height	1	15	205.2	7.2	15	254.0	8.0	-48.8	-17.59	0.0000
Plant Height	2	15	197.6	4.8	15	250.5	2.6	-52.9	-37.70	0.0000
Plant Height	Avg	30	201.4	7.1	30	252.3	6.1	- 50.9	-29.68	0.0000
Length of Top Ear Internode	1	15	14.9	1.6	15	20.8	1.6	-5.9	-10.34	0.0000
Length of Top Ear Internode	2	15	13.8	1.3	15	19.1	1.9	-5.3	-8.79	0.0000
Length of Top Ear Internode	Avg	30	14.4	1.5	30	20.0	1.9	-5.6	-12.51	0.0000
Ear Length	1	15	13.4	0.5	15	17.4	0.7	-4.1	-18.20	0.0000
Ear Length	2	15	13.5	0.5	15	17.2	1.2	-3.7	-10.74	0.0000
Ear Length	Avg	30	13.4	0.5	30	17.3	1.0	-3.9	-19.09	0.0000
Shank Length	1	15	9.8	1.4	15	15.6	1.8	- 5.8	-9.69	0.0000
Shank Length	2	15	9.0	1.5	15	15.9	2.5	-6.9	-9.23	0.0000
Shank Length	Avg	30	9.4	1.5	30	15.8	2.1	-6.4	-13.31	0.0000

United States Department of Agriculture, Agricultural Marketing Service Science Division, Plant Variety Protection Office National Agricultural Library Building, Room 500 Beltsville, MD 20705 OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s)	Variety Seed Source	Variety Name or Temporary Designation		
JC Robinson Seeds, Inc.		N69391		
Address (Street No., or R.F.D., City, State, Zip Code and	FOR OFFICIAL USE			
100 J.C. Robinson Blvd., Waterloo, NE 68069	USA	PVPO Number 200500 24		

Place the appropriate number that describes the varietal characters typical of this inbred variety in the spaces below. Right justify whole numbers by adding leading zeroes if necessary. Completeness should be striven for to establish an adequate variety description. Traits designated by a '*' are considered necessary for an adequate variety description and must be completed.

COLOR CHOICES (Use in conjunction with Munsell color code to describe all color choices: describe #25 and #26 in Comments section):

01=Light Green 02=Medium Green 03=Dark Green 04=Very Dark Green 05=Green-Yellow	06=Pale Yellow 07=Yellow 08=Yellow-Orange 09=Salmon 10=Pink-Orange	11=Pink 12=Light Red 13=Cherry Red 14=Red 15=Red ₋ White	16=Pale Purple 17=Purple 18=Colorless 19=White 20=White Capped	21=Buff 22=Tan 23=Brown 24=Bronze 25-Varigated (Describe) 26=Other (Describe)
---	--	---	--	--

STANDARD IN	IBRED CHOICES (Use the most similar ((in background and maturity) of these to make	comparisons based on grow-out trial data):
Yellow D	ent Families:	Yellow Dent (Unrelated):	Sweet Corn:
Family B14	Members CM105, A632, B64, B68	Co109, ND246	C13, Iowa5125, P39, 2132
B37	B37, B76, H84	Oh7, T232 W117, W153R	Popcorn:

B37 B37, B76, H84 W117, W153R Popcorn:
B73 N192, A679, B73, NC268 W182BN SG1533, 4722, HP301, HP7211
C103 Mo17, Va102, Va35, A682
Oh43 A619, MS71, H99, Va26 White Dent: Pipecorn:

WF9 W64A, A554, A654, Pa91 Cl66, H105, Ky228 Mo15W, Mo16W, Mo24W

	•	mediate types in Com ent 3=Flint 4=Flour 5	Standard Inbred	d Name B73	
2. REG	SION WHERE DE	VELOPED IN THE U	.S.A.:	Standard Seed	Source 92ncei01
. * 2	2 1=Northwest 2 6=Southwest 7	=Northcentral 3=Nort '=Other	2		
3. MAT	TURITY (In Regio	n Best Adaptability: sl HEAT UNITS	now Heat Unit formula in "Comments" section):	DAYS	HEAT UNITS
*	064	1026.0	From emergence to 50% of plants in silk	069	1142.5
*	066	1078.8	From emergence to 50% plants in pollen	069	1155.5
	001	0023.5	From 10% to 90% pollen shed	001	0026.0
(*)			From 50% silk to optimum edible quality		

4. P	LANT:	Standard Deviation	Sample Size	Stand	ard Deviation	Sample Size
*	201.4 cm Plant Height (to tassel tip)	07.1	30	250.6	07.8	30
*	071.6 cm Ear Height (to base of top ear node)	04.9	30	113.9	04.9	30
	014.4 cm Length of Top Ear Internode	01.5	30	016.4	01.5	30
	0.0 Average Number of Tillers	00.0	30	0.0	0.00	30
	1.0 Average Number of Ears per Stalk	00.0	30	1.1	00.3	30
·* (4 Anthocyanin of Brace Roots: 1=Absent 2=	4				

From 50% silk to harvest at 25% moisture

Applicatio	n Variety	y Data N69391	Page 2		Standard Inbred Data B73
5. LEAF			Standard Deviation	Sample Size	Standard Deviation Sample Size
*	009.0	cm Width of Ear Node Leaf	1.3	30	009.4 0.6 30
* *************************************		cm Length of Ear Node Leaf	4.9	30	077.9 6.8 30
*		Number of leaves above top ear	1.0	30	06 0.6 30
		Degrees Leaf Angle	6.6	30	011 3.8 30
		(measure from 2nd leaf above ear at	* - *		30
*		Leaf Color (Munsell code)	7.5GY4/4	.u.,	03 (Munsell code) 7.5GY4/4
		Leaf Sheath Pubescence (Rate on se		e neach fuzz)	5
		Marginal Waves (Rate on scale from		e pedor ruzz,	7
		Longitudinal Creases (Rate on scale			4
0 TACOF!				· · · · · · · · · · · · · · · · · · ·	
6. TASSEL:			Standard Deviation	Sample Size	Standard Deviation Sample Size
. "		Number of Primary Lateral Branches		30	05 01.0 30
		Branch Angle from Central Spike	07.7	30	023 08.6 30
* .		cm Tassel Length	03.4	30	38.0 06.8 30
*		(from top leaf collar to tassel tip)			
		Pollen Shed (Rate on scale from 0=m	nale sterile to 9≕heavy sh	ed)	7
		Another Color (Munsell code)	5Y8/8		22 (Munsell code) 7.5YR8/6
		Glume Color (Munsell code)	7.5GY6/8		02 (Munsell code) 7.5GY6/8
	1	Bar Glumes (Glume Bands): 1=Abser	nt 2=Present		1
7a. EAR (Ur	nhusked	Data):			
	05	Silk Color (3 days after emergence) (I	Munsel code)	2.5GY8/8	05 (Munsell code) 2.5GY8/6
		Fresh Husk Color (25 days after 50%		7.5GY6/8	02 (Munsell code) 7.5GY6/8
	21	Dry Husk Color (65 days after 50% sil	lking) (Munsell code)	10YR9.25/1.0	2 25 (Munsell code) 10YR9/1.5
	1	Position of Ear at Dry Husk Stage: 1=	=Upright 2=Horizontal 3=	Pendant	1
	7	Husk Tightness (Rate on scale from 1	=very loose to 9=very tigh	ht)	6
	2	Husk Extension (at harvest): 1=Short	(ears exposed) 2=Mediu	m (<8 cm)	2
		3=Long (8-10 cm beyond ear tip)	4=Very Long (>10 cm)		
b. EAR (Hu	ısked		Standard Deviation	Sample Size	Standard Deviation Sample Size
•		cm Ear Length	00.5	30	
		mm Ear Diameter at	01.0]	
		gm Ear Weight	07.0	30 30	48.2 01.0 30 157.3 12.6 30
		Number of Kernel	01.4	30	1 11
		Kernel Rows: 1=Indistinct 2=Distinct	01.4	30	18 01.6 30
		Row Alignment: 1=Straight 2=Slightly	v Curved 3-Seizel		2
		cm Shank Length	· •		1
		Ear Taper: 1=Slight 2=Average	01.5	30	10.2 01.2 30
	∠ C	_ai raper. I=olight Z=Average		ŀ	1
					
Ápplication	Variety [Oata			Standard Inbred Data
N				1	

Note: Use chart on first page to choose color codes for color traits.

App	olication Variety Data N69391	Pa	ge 3	Standard Inbred Data B73
8.	KERNEL (Dried)	Standard Deviation	Sample Size	Standard Deviation Sample Size
	11.6 mm Kernel Length	00.4	30	12.3 00.3 30
1	08.0 mm Kernel Width	00.5	30	07.6 00.4 30
(03.8 mm Kernel Thickness	00.3	30	04.1 00.2 30
• .	28.3 % Round Kernels (Shape Grade)	•	30	34.2 05.8 30
	1 Aleurone Color Pattern: 1≃Homo			1
(*)	18 Aleurone Color (Munsell code)	COLORLE	ESS	18 (Munsell code) COLORLESS
*	08 Hard Endosperm Color (Munsell o			07 (Munsell code) 2.5Y8/10
* *	03 Endosperm Type: 1=Sweet (sul) 4=High Amylose Starch 5=Waxy 8=Super Sweet (se) 9=High Oil	2=Extra Sweet (sh2) 3=No Starch 6=High Protein 7=	ormal Starch	03
	27.8 gm Weight per 100 Kernels (unsiz	zed sample)	01.7 30	29.0 01.4 30
9.	COB	Standard Deviation	Sample Size	Standard Deviation Sample Siz
*	23.0 mm Cob diameter at mid-point	8.00	30	27.9 00.9 30
	19 Cob Color (Munsell code)	10YR9.25	/1.0	12 (Munsell code) 5R6/10
A. B. S.	DISEASE RESISTANCE (Rate from 1 (most suleave blank if not tested: leave Race or Strate leave blank if not tested: leave Race or Strate leave blank if not tested: leave Race or Strate leave Blights, Wilts, and Local Infection and Common Rust (Puccinia sorghi) Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) Eyespot (Kabatiella zeae) Goss's Wilt (Clavibacter michiganese spp. neb Gray Leaf Spot (Cercospora zeae-maydis) Helminthosporium Leaf Spot (Bipolaris maydis) Northern Leaf Blight (Exserohilum turcicum) Southern Leaf Blight (Bipolaris maydis) Southern Rust (Puccinia polysora) Stewart's Wilt (Erwinia stewartii) Other (Specify) Systemic diseases Corn Lethal Necrosis (MCMV and MDMV) Head Smut (Sphacelotheca reiliana) Maize Chlorotic Dwarf Virus (MCDV) Maize Chlorotic Mottle Virus (MCMV) Maize Dwarf Mosaic Virus (MDMV) Sorghum Downy Mildew of Corn (Peronoscleros) Other (Specify)	in Options blank if polygen icola) raskense) Race Race Strai	ic):	Race Race Race
D. E	Anthracnose Stalk Rot (Colletotrichum graminico Anthracnose Stalk Rot (Stenocarpella maydis) Fusarium Stalk Rot (Fusarium moniliforme) Sibberella Stalk Rot (Gibberella zeae) Other (Specify) Far and Kernel Rots Ispergillus Ear and Kernel Rot (Aspergillus flavur) Siblodía Ear Rot (Stenocarpella maydis) Fusarium Ear and Kernel Rot (Fusarium moniliforme) Sibberella Ear Rot (Gibberella zeae)	s)		
Appl	ication Variety Data : Use chart on first page to choose color codes f	or color traits.		Standard Inbred Data

Application Variety Data	N69391	F	age 4	Standard Inbred Data	B73
11. INSECT RESISTANCE (Rate from leave blank if not tested):	m 1 (most susceptible) to	9 (most resis	tant):		
		ard Deviation	Sample Size	Standard Deviation	Sample Size
Banks Grass Mite (Oligonychus p	•				
Corn Earworm (Helicoverpa zea)		•			
Leaf-Feeding	•				
Silk Feeding : mg larval wt.					
Ear Damage					
Corn Leaf Aphid (Rhopalosiphur	n maidis)		•		
Corn Sap Beetle (Carpophilus di					
European Corn Borer (Ostrinia n	ubilalis)				
1st Generation (Typically Who					
2nd Generation (Typically Leaf	Sheath-Collar Feeding				
Stalk Tunneling	n.6				
cm tunneled/plai Fall Armyworm (Spodoptera frug					
Leaf-Feeding	iperda)				
Silk-Feeding:					
mg larval wt.					
Maize Weevil (Sitophilus zeamai:					
Northern Rootworm (Diabrotica b			_		
Southern Rootworm (Diabrotica u	•				
Southwestern Corn Borer (Diatra	ea grandiosella)				
Leaf Feeding Stalk Tunneling:					
cm tunneled/plar	ıt				
Two-spotted Spider Mite (Tetrany					
Western Rootworm (Diabrotica vi	·				
Other (Specify)					
AGRONOMIC TRAI					
5 Stay Green (at 65 days a to 9=excellent.)	fter anthesis) (Rate on a	a scale from 1	=worst	3	
% Dropped Ears (at 65 d	ays after anthesis)				
% Pre-anthesis Brittle Sr					
%Pre-anthesis Root Lodg					
00.0 %Post-anthesis Root Loo Kg/ha Yield of Inbred Per				00.0	
13. MOLECULAR MARKERS: (0=data	ı unavailable: 1=data av	ailable but not	supplied: 2=data sup	plied)	
0 Isozyme 0 RFLP's	0 RAPD's				
REFERENC				;	
Butler, D.R. 1954. A System for the Cla	assification of Corn Inbre	d Lines, PhD	Thesis, Ohio State Uni	iversity.	
Emerson, R.A., G.W. Beadle, and A.C			•	•	
Farr, D.F., G.F.Bills, G.P. Chamuris, A	.Y. Rossman, 1989. Fun	gi on Plant an	d Plant Products in the	United States. The American	ſ
Phytopathological Society, St. Pa					
Inglett, G.E. (Ed) 1970. Corn: Culture,					
Jugenheimer, R.W. 1976. Corn: Improv			onn Wiley Sons, New	York.	
McGee, D.C. 1988. Maize Diseases. A			V 12551_0220		
Munsell Color Chart for Plant Tissues. The Mutants of Maize, 1968. Crop Scie			1. (2001-0230	•	
Shurtleff, M.C. 1980. Compendium of C	-		IN. 105 pp	•	
Sprague, G.F., and J.W. Dudley (Edito				omy Monograph 18. ASA, CSS	A, SSSA,
Madison, WI	,	004 4050	, ,	- · · · ·	•

U.S. Department of Agriculture, 1936. 1937. Yearbook.

General Information

Two trials were grown in East Central Nebraska near Waterloo, Nebraska for the purpose of observing data on trait characteristics for PVP and patenting requirements.

Trial 1 (location 1 in the data) was planted 5/10/2004.

Trial 2 (location 2 in the data) was planted 5/19/2004.

Multiple dates were timed throughout the growing season to observe the various traits at their maximum expression. Approximately 120 plants were grown in four row plots. 15 plants from the middle two rows were sampled for recording trait information.

The heat units or GDU (growing degree units) is the number of heat units required for an inbred line to reach either silk emergence or pollen shed from the time of planting. Heat units are calculated by the Barger method, where the heat units for a 24 hour-period are:

$$GDU = \frac{\text{Max. + Min.}}{2} - 50$$

The highest maximum used is 86 degrees Fahrenheit and the lowest minimum used is 50 degrees Fahrenheit. For each inbred line, it takes a certain number of heat units to reach various stages of plant development. They are a way of measuring plant maturity.

The Student's t-Test analysis is used to show significant differences from the standard check it most closely resembles. A normal distribution is assumed for this analysis.

The trials were grown in a nested (RCB) randomized complete block design. It was nested to gain maximum precision for observed traits for the new varieties' comparison with the standard inbred variety. In other words, the true varieties were planted in close proximity to each other. The objective (hypothesis) of the trial was to collect data on different traits to compare between different varieties for Exhibits B, and C on the PVP application forms.

Data were collected on 15 different plants per location per trait for each entry in the trial for statistical analysis. The data were collected at varying stages throughout the growing season.

Accumulated GDU and Rainfall for 2004:

<u>Month</u>	$\underline{\mathrm{GDU}}$	Rainfall
May	429	6.36
June	956	2.59
July	1636	8.37
Aug	2229	2.37

Exhibit D.

N69391 additional information LH198

The following color traits are uniquely different from the check:

N69391

LH198

	Number		Munsell	Number		Munsell
Trait	Value	Color	Code	Value	Color	Code
Anther Color	6	Pale Yellow	5Y8/8	22	Tan	7.5YR8/6
Cob Color	19	White	10YR9.25/1.0	11	Pink	5R8/4

The following traits are highly significant at the 1% level (Student's t-Test procedure) for each location analysis as well as the combined location analysis:

Exhibit D. t-test statistics, (Additional information).

		N69391				LH198			Mean	
Trait	Loc	N	Mean	SD1	N	Mean	SD2		t-Value	Prob
Plant Height	1	15	205.2	7.2	15	247,9	6.5	-42.7	-17.04	0.0000
Plant Height	2	15	197.6	4.8	15	247.7	7.1	-50.1	-22.82	0.0000
Plant Height	Avg	30	201.4	7.1	30	247.8	6.7	-46.4	-26.04	0.0000
Ear Height	1	15	72.8	5.5	15	97.6	6.6	-24.8	-11,21	0.0000
Ear Height	2	15	70.3	4.1	15	96.7	6.4	-24.6	-13.54	0.0000
Ear Height	Avg	30	71.6	4.9	30	97.1	6.4	-25.6	-17.42	0.0000
Leaf Length	1	15	69.7	3.5	15	83.5	2.7	-13.8	-12.03	0.0000
Leaf Length	2	15	62.8	3.5	15	81.4	4.4	-18.6	-12.88	0.0000
Leaf Length	Avg	30	66.2	4.9	30	82.5	3.7	-16.2	-14.41	0.0000
Degrees Leaf Angle	1	15	10.4	2.8	15	6.3	3.3	4.1	3.65	0.0011
Degrees Leaf Angle	2	15	19.3	6.3	15	11.7	2.2	7.6	4.41	0.0001
Degrees Leaf Angle	Avg	30	14.8	6.6	30	9.0	3.9	5.8	4.19	0.0001
Kernel Thickness	1	15	3.7	0.2	15	4.3	0.3	-0.6	-5.85	0.0000
Kernel Thickness	2	15	4.0	0.2	15	4.3	0.4	-0.4	-3.50	0.0016
Kernel Thickness	Avg	30	3.8	0.3	30	4.3	0.3	-0.5	-6.29	0.0000

REPRODUCE LOCALLY Include form number at	id date on all reprodu	ctions.	FOR	M APPROVED - OMB NO. 0581-0	JU5:			
U.S. DEPARTMENT OF AGRICUL AGRICULTURAL MARKETING SER	The following statements are made in accordance with the Privacy Act of 1974 (5 U. S. C. 552a) and the Paperwork Reduction Act (PRA) of 1995.							
EXHIBIT E STATEMENT OF THE BASIS OF	OWNERSHIP	certificate is	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).					
1. NAME OF APPLICANT(S)		RY DESIGNATION	3. VARIETY NAME					
JC Robinson Seeds, Inc.	EXPERIME	NTAL NUMBER	N69391					
4. ADDRESS (Street and No., R.F.D. No., City, St.	ate, and ZIP Code, a	5. TELEPHO	NE (include area code)	6. FAX (include area code)				
100 JC Robinson Blvd.		(402) 28	39-6503	(402) 779-2910				
PO Box 307			•					
Waterloo, Nebraska 68069		7. PVPO NUM	MBER	2005002				
t. Is the applicant (individual or company) a U.S. na If no, give name of country	tional or U.S. based c	company?	[X] , YES	[] NO				
0. Is the applicant the original own	[X] YES	[] NO	If no, please answer ONI	E of the following:				
a. If original rights to variety were owned by individual	dual(s), is (are) the ori	iginal owner(s) nat	tional(s)?					
	[X] YES	[] NO	If no, give name of count	ry				
b. If original rights to variety were owned by a com	pany(ies), is (are) the	e original owner(s)	a U.S. based company?					
	[X] YES	[] NO	If no, give name of count	гу				
1. Additional explanation on ow (if needed, use rev	erse for extra space)							
The variety for which Plant Variety Protection is	hereby sought was d	eveloped by Ben	Ford/Duane Wolf,					
an employee of the JC Robinson Seeds compa	ny. By agreement be	tween the employ	ee and the JC Robinson Se	eds company all rights				
to any invention, discovery, or development ma	de by the employee w	hile employed by	the JC Robinson Seeds cor	npany are assigned				

PLEASE NOTE:

Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria:

to the JC Robinson Seeds company with no right of any kind retained by the employee.

- 1. If the rights to the variety are owned by the original breeder, that person myst be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition. According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to compete this information collection is estimated to average 10 minutes per response including the time for reviewing instructions searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braile, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250 or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employement opportunity employer.